

Size: 1"


Weight: 1.5 kg


Tamper Switch: Built-in **Actuation:** Low torque

Key Features:

- 1. Easy System Shutoff: Enables efficient maintenance and repair of sprinkler systems with smooth 1/4 turn closure, minimizing system disruption.
- 2. Grooved End Connections: Facilitates quick and secure installation using grooved pipe couplings, ensuring reliable, leak-free joints.
- 3. Low Torque Actuation: Requires minimal effort for operation, enhancing usability during maintenance procedures.
- 4. Built-in Tamper Switch: Includes a tamper switch that detects movement from the fully open position, providing feedback to alarm systems and enabling integration with additional equipment for immediate notification.
- 4. Open Position During Operation: Must remain open during system operation to maintain proper water flow and ensure effective fire protection.

DIMENSIONS	VALUE (mm)
А	95
В	108
С	37
D	118







Size: 1 1/2" Weight: 1.5 kg


Tamper Switch: Built-in


Actuation: Low torque

Key	Featu	res:
-----	-------	------

- 1. Easy System Shutoff: Enables efficient maintenance and repair of sprinkler systems with smooth 1/4 turn closure, minimizing system disruption.
- 2. Grooved End Connections: Facilitates quick and secure installation using grooved pipe couplings, ensuring reliable, leak-free joints.
- 3. Low Torque Actuation: Requires minimal effort for operation, enhancing usability during maintenance procedures.
- 4. Built-in Tamper Switch: Includes a tamper switch that detects movement from the fully open position, providing feedback to alarm systems and enabling integration with additional equipment for immediate notification.
- 4. Open Position During Operation: Must remain open during system operation to maintain proper water flow and ensure effective fire protection.

DIMENSIONS	VALUE (mm)
А	102
В	113
С	46
D	118







Size: 1 1/4"


Weight: 2.2 kg


Tamper Switch: Built-in **Actuation:** Low torque

Key Features:

- 1. Easy System Shutoff: Enables efficient maintenance and repair of sprinkler systems with smooth 1/4 turn closure, minimizing system disruption.
- 2. Grooved End Connections: Facilitates quick and secure installation using grooved pipe couplings, ensuring reliable, leak-free joints.
- 3. Low Torque Actuation: Requires minimal effort for operation, enhancing usability during maintenance procedures.
- 4. Built-in Tamper Switch: Includes a tamper switch that detects movement from the fully open position, providing feedback to alarm systems and enabling integration with additional equipment for immediate notification.
- 4. Open Position During Operation: Must remain open during system operation to maintain proper water flow and ensure effective fire protection.

DIMENSIONS	VALUE (mm)
А	105
В	121
С	58
D	118







Size: 2"

Weight: 2.8 kg

Tamper Switch: Built-in **Actuation:** Low torque

Key Features:

- 1. Easy System Shutoff: Enables efficient maintenance and repair of sprinkler systems with smooth 1/4 turn closure, minimizing system disruption.
- 2. Grooved End Connections: Facilitates quick and secure installation using grooved pipe couplings, ensuring reliable, leak-free joints.
- 3. Low Torque Actuation: Requires minimal effort for operation, enhancing usability during maintenance procedures.
- 4. Built-in Tamper Switch: Includes a tamper switch that detects movement from the fully open position, providing feedback to alarm systems and enabling integration with additional equipment for immediate notification.
- 4. Open Position During Operation: Must remain open during system operation to maintain proper water flow and ensure effective fire protection.

DIMENSIONS	VALUE (mm)
А	113
В	133
С	71
D	118

